

GOVERNMENT LABORATORY.

No. S. 394.—Return of samples examined under “The Sale of Food and Drugs Ordinance, 1896,” for the quarter ended 30th September, 1933.

Description.	Number of Samples.	Number found genuine.	Number found adulterated.
Bread .....	11	11	0

V. C. BRANSON,  
*Government Analyst.*

4th October, 1933.

HARBOUR DEPARTMENT.

No. S. 395.—It is hereby notified that sealed tenders in quintuplicate, which should be clearly marked “Tenders for repairs to No. 7 Police Launch”, will be received at the Colonial Secretary’s Office until Noon of Friday, the 20th day of October, 1933.

A list of work may be obtained at the Government Marine Surveyor’s Office.

The Government does not bind itself to accept the lowest or any tender.

The work to be carried out to the satisfaction of the Government Marine Surveyor, and to be duly completed within the number of working days specified by the tender to commence from the date of handing over of the launch to tenderers for repairs; failing completion within such time deduction will be made from the contract price, by way of liquidated damages for delay, at the rate of \$30 for each and every subsequent day until and including the date of due completion of the work.

J. B. NEWILL,  
*Harbour Master, &c.*

4th October, 1933.

PUBLIC WORKS DEPARTMENT.

No. S. 396.—It is hereby notified that sealed tenders in triplicate which should be clearly marked “Tender for the maintenance, repair, etc., of Government Buildings,” will be received at the Colonial Secretary’s Office until Noon of Monday, the 23rd day of October, 1933, for such works as may be ordered in the maintenance, repair, alterations and additions to Government Buildings in the Colony of Hong Kong, Kowloon and the New Territories during the year 1934.

No work will be permitted on Sundays.

For form of tender, specification and further particulars apply at this Office.

The Government does not bind itself to accept the lowest or any tender.

A. G. W. TICKLE,  
*Director of Public Works.*

6th October, 1933.